

GOBO SIZING Information

| PRODUCT: | various Vari-Lite luminaires |
|----------|------------------------------|
| SUBJECT: | Gobo Sizing Information |

OVERVIEW

This technical notice is for informational and reference purposes only. Owners and users are not required to inspect or change their gobos.

If you have any questions as to any aspect of this Technical Notice, contact Vari-Lite customer service at 1-877-VARILITE or +1-214-647-7880.

NOTE: Vari-Lite luminaires accept glass gobos only. Use of metal gobos in any Vari-Lite luminaires may damage gobo assembly and void the luminaire's warranty. Damage caused by non-Vari-Lite manufactured gobos to luminaire or luminaire assemblies - is not warrantable.

WARNING! Any repairs or maintenance to Vari-Lite luminaires should only be performed by a trained and qualified service technician or at an Authorized Vari-Lite Service facility.

ROTATING GOBO WHEEL GOBO SIZES

The following provides gobo sizes for Vari-Lite luminaires that have rotating gobo or effects wheels.

TABLE 1. ROTATING GOBO WHEEL - GOBO SIZES

| LUMINAIRE | GOBO DIAMETER | IMAGE AREA DIAMETER | GLASS THICKNESS | CARRIER REQUIRED? |
|-----------------|------------------|------------------------|--------------------|-------------------|
| VL440 Spot | 25.5mm | 24 mm | 1.1mm | No |
| VL770 Spot | 25.5mm | 24mm | 1.1mm | No |
| VL880 Spot | 25.5mm | 24 mm | 1.1mm | No |
| VL1100 ERS | 37.5mm | 28.5mm | 1.1mm | Yes |
| VL2500 Spot | 22.7mm | 16.5mm | 1.1mm | Yes |
| VL2600 Profile | 27mm | 17mm | 1.1mm | No |
| VL2600 Spot | 27mm | 17mm | 1.1mm | No |
| VL3000 Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL3000Q Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL3015 Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL3015LT Spot | 37.5mm | 31.75mm | 1.1mm | Yes |
| VL3500 Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL3500Q Spot | 37.5mm | 26.5mm | 1.1 mm | Yes |
| VL3515 Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL3500 Wash FX | 50.8mm | 44mm | 1.1mm | No |
| VL4000 Spot | 37.5mm | 29.5mm | 1.1mm | Yes |
| VL4000 Beamwash | 37.5mm | 29.5mm | 1.1mm | Yes |
| VLZ Profile | 27mm | 17.5mm | 1.1mm | No |
| VLZ Spot | 27mm | 17.5mm | 1.1mm | No |
| SL LEDSPOT 300 | 30mm | 19mm | 1.1mm | Yes |
| VL10 Beamwash | 14mm | 8mm | 0.5mm (metal only) | Yes |
| VLZ Profile | 30mm | 17.5mm | 1.1mm | No |
| | | | | |

NOTE: For additional information, refer to "GOBO SIZING NOTES" on page 2.

1

FIXED GOBO WHEEL GOBO SIZES

The following provides gobo sizes for Vari-Lite luminaires that have a fixed gobo or effects wheel.

TABLE 2. FIXED GOBO WHEEL - GOBO SIZES

| VL440 Spot 25.5mm 24mm 1.1mm Yes VL770 Spot 25.5mm 24mm 1.1mm Yes VL880 Spot 25.5mm 24mm 1.1mm Yes VL1100 ERS Not applicable VL2500 Spot* 31.24 mm (widest) 20.07 mm (narrowest) 20.83 mm (high) 15.5 mm OR Full Field 1.1mm Yes VL2600 Profile 27mm 17.5mm 1.1mm No VL2600 Spot 27mm 17.5mm 1.1mm No VL3000 Spot Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable VL4000 Spot Not applicable | LUMINAIRE | GOBO DIAMETER | IMAGE AREA DIAMETER | GLASS THICKNESS | CARRIER REQUIRED? |
|---|-----------------|----------------------|------------------------|--------------------|-------------------|
| VL880 Spot 25.5mm 24mm 1.1mm Yes VL1100 ERS Not applicable VL2500 Spot* 31.24 mm (widest) 20.07 mm (narrowest) 20.07 mm (narrowest) 20.83 mm (high) 15.5 mm OR DR 1.1mm Yes VL2600 Profile 27mm 17.5mm 1.1mm No VL2600 Spot 27mm 17.5mm 1.1mm No VL3000 Spot Not applicable VL3015 Spot Not applicable VL3015 Spot Not applicable VL3500 Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable Not applicable | VL440 Spot | 25.5mm | 24mm | 1.1mm | Yes |
| VL1100 ERS Not applicable VL2500 Spot* 31.24 mm (widest) 20.07 mm (narrowest) 20.83 mm (high) 15.5 mm OR Full Field 1.1mm Yes VL2600 Profile 27mm 17.5mm 1.1mm No VL2600 Spot 27mm 17.5mm 1.1mm No VL3000 Spot Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL770 Spot | 25.5mm | 24mm | 1.1mm | Yes |
| VL2500 Spot* 31.24 mm (widest) 20.07 mm (narrowest) 20.83 mm (high) 15.5 mm OR Full Field 1.1mm Yes VL2600 Profile 27mm 17.5mm 1.1mm No VL2600 Spot 27mm 17.5mm 1.1mm No VL3000 Spot Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL880 Spot | 25.5mm | 24mm | 1.1mm | Yes |
| 20.07 mm (narrowest) 20.83 mm (high) OR Full Field 1.1mm Yes VL2600 Profile 27mm 17.5mm 1.1mm No VL2600 Spot 27mm 17.5mm 1.1mm No VL3000 Spot Not applicable VL3000e Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable Not applicable | VL1100 ERS | Not applicable | | | |
| VL2600 Spot 27mm 17.5mm 1.1mm No VL3000 Spot Not applicable VL3000Q Spot Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL2500 Spot* | 20.07 mm (narrowest) | OR | 1.1mm | Yes |
| VL3000 Spot Not applicable VL3000Q Spot Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL2600 Profile | 27mm | 17.5mm | 1.1mm | No |
| VL3000Q Spot Not applicable VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL2600 Spot | 27mm | 17.5mm | 1.1mm | No |
| VL3015 Spot Not applicable VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL3000 Spot | Not applicable | | | |
| VL3015LT Spot Not applicable VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL3000Q Spot | pot Not applicable | | | |
| VL3500 Spot 37.5mm 26.5mm 1.1mm Yes VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL3015 Spot | Not applicable | | | |
| VL3500Q Spot 37.5mm 26.5mm 1.1mm Yes VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL3015LT Spot | Not applicable | | | |
| VL3515 Spot 37.5mm 26.5mm 1.1mm Yes VL3500 Wash FX Not applicable | VL3500 Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL3500 Wash FX Not applicable | VL3500Q Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| | VL3515 Spot | 37.5mm | 26.5mm | 1.1mm | Yes |
| VL4000 Spot Not applicable | VL3500 Wash FX | | Not applicab | le | |
| | VL4000 Spot | | Not applicab | le | |
| VL4000 Beamwash Not applicable | VL4000 Beamwash | | Not applicab | le | |
| VLZ Profile 30mm 22mm 1.1mm No | VLZ Profile | 30mm | 22mm | 1.1mm | No |
| VLZ Spot 30mm 22mm 1.1mm No | VLZ Spot | 30mm | 22mm | 1.1mm | No |
| SL LEDSPOT300 24mm 19mm 1.1mm No | SL LEDSPOT300 | 24mm | 19mm | 1.1mm | No |

^{*}For additional information on VL2500 Spot Luminaire gobo size, refer to FIGURE 1 on page 3.

GOBO SIZING NOTES

- VL1100 ERS, VL3000 Spot, VL3000Q Spot, VL3500 Spot, VL3500Q Spot, VL3015 Spot, VL3515 Spot, and VL3015LT Spot Luminaires all use the same size gobo blank.
- Gobos for the VL3000 Spot, VL3000Q Spot, VL3500 Spot, VL3500Q Spot, VL3015 Spot, and VL3515 Spot Luminaires can vary in image size from 25 mm to 26.5 mm. Full-field gobos are 26.5 mm.
- VL1100 ERS Luminaire gobo size determined from a test pattern. Some production images may be smaller.
- The fixed gobo slots on the VL2500 Spot Luminaire are a trapezoid shape. The notation, "full field" implies entire trapezoid is covered with image.

TN-338




FIGURE 1. VL2500 SPOT GOBO

SERIES 4000 AND VLZ ANIMATION WHEEL SIZE

The following provides animation wheel size information for the VL4000 Spot and VL4000 Beamwash Luminaires.

TABLE 3. SERIES 4000 AND VLZ ANIMATION WHEEL SIZES

| LUMINAIRE | GOBO DIAMETER | IMAGE AREA DIAMETER | GLASS THICKNESS | CARRIER REQUIRED? |
|-----------------|---------------|------------------------|-----------------------|-------------------|
| VL4000 Spot | 100mm | 95mm | 1.1mm | Yes |
| VL4000 Beamwash | 100mm | 95mm | 1.1mm | Yes |
| VLZ Profile | 115mm | 110mm | 0.8mm | No |
| VL10 Beamwash | 38mm | 35mm | 1.1mm quartz glass | Yes |

CUSTOMER SERVICE

If you have any questions regarding this product, please contact Customer Service at +1-214-647-7880 or via e-mail at entertainment.service@signify.

©2019 Signify Holding. All rights reserved. All trademarks are owned by Signify Holding or their respective owners. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Data subject to change.

TN-338